
























MONOBLOCK DISTRIBUTION UNITS

	CODE	DESCRIPTIONS	PCS/BOX		CODE	DESCRIPTIONS	PCS/BOX
	FTG-38049	80 A , Input: 1 x 2,5-16 mm ² Output: 4 x 2,5 - 6 mm ² 2 x 2,5 - 16 mm ²	1		FTG-38404	400 A Input: 1 x 95 - 240 mm ² Output: 2 x 50 - 120 mm ²	1
	FTG-38049 PE	80 A Green Input: 1 x 2,5 - 16 mm ² Output: 2 x 2,5 - 6 mm ² 2 x 2,5 - 16 mm ²	1		FTG-38404N	400 A Input: 1 x 95 - 240 mm ² Output: 2 x 50 - 120 mm ²	1
	FTG-38049 N	80 A Blue Input: 1 x 2,5 - 16 mm ² Output: 2 x 2,5 - 6 mm ² 2 x 2,5 - 16 mm ²	1		FTG-38404PE	400 A Input: 1 x 95 - 240 mm ² Output: 2 x 50 - 120 mm ²	1
	FTG-38041	125 A , Input: 1 x 10-35 mm ² Output: 1 x 2,5 - 16 mm ² 6 x 2,5 - 16 mm ²	1		FTG-38404R	400 A Input: 1 x 95 - 240 mm ² Output: 2 x 50 - 120 mm ²	1
	FTG-38041 PE	125 A , Input: 1 x 10-35 mm ² Output: 1 x 2,5 - 16 mm ² 6 x 2,5 - 16 mm ²	1		FTG-38403	400 A Input: 1 x 95 - 240 mm ² Output: 6 x 10 - 50 mm ²	1
	FTG-38041 N	125 A , Input: 1 x 10-35 mm ² Output: 1 x 2,5 - 16 mm ² 6 x 2,5 - 16 mm ²	1		FTG-38403N	400 A Input: 1 x 95 - 240 mm ² Output: 6 x 10 - 50 mm ²	1
	FTG-38032	160 A , Input: 1 x 10-70 mm ² Output: 6 x 2,5 - 16 mm ² 5 x 15 mm ² Copper Busbar Connection	1		FTG-38403PE	400 A Input: 1 x 95 - 240 mm ² Output: 6 x 10 - 50 mm ²	1
	FTG-38074	175 A , Input: 1 x 16-70 mm ² Output: 10 x 2,5 - 16 mm ²	1		FTG-38403R	400 A Input: 1 x 95 - 240 mm ² Output: 6 x 10 - 50 mm ²	1
	FTG-38074 N	175 A Blue Input: 1 x 16 - 70 mm ² Output: 10 x 2,5 - 16 mm ²	1		FTG-38402	400 A Input: 1 x 250 mm ² Output: 2 x 50 - 120 mm ²	1
	FTG-38020	250 A Input: 1 x 35 - 120 mm ² Output: 2 x 6 - 35 mm ² 5 x 1,5 - 16 mm ² 4x1,5-10 mm ²	1		FTG-38401	400 A Input: 1 x 250 mm ² Output: 6 x 10 - 50 mm ²	1
	FTG-38019	400 A , Input: 1x95-185 mm ² Output: 2 x 6 - 35 mm ² 5 x 1,5 - 16 mm ² 4 x 1,5 - 10 mm ²	1		FTG-38062	800 A One input, two output Busbar Input 1 x 35-300 mm ² Output 2 x 35-300 mm ²	1
					FTG-38063	800 A Two input, two output Input 2 x 35-300 mm ² Output 2 x 35-300 mm ²	1

3 POLE MONOBLOCK DISTRIBUTION UNITS



CODE	DESCRIPTIONS	PCS/BOX
FTG-38056	125 A , (3 Phase + Notral) Input: 1 x 10 - 35 mm ² Output: 5 x 1,5 - 6, 2 x 2,5 - 16mm ²	1
FTG-38075	125 A , (3 Phase) Input: 1 x 10 - 35 mm ² Output: 6 x 2,5 - 16 mm ²	1
FTG-38073	175 A (3 Phase) Input: 1 x 16 - 70 mm ² Output: 6 x 2,5 - 16 mm ²	1

MONOBLOCK DISTRIBUTION UNITS



CODE	DESCRIPTIONS	PCS/BOX
FTG-KS741	2 x 25 mm ² - 14 x 4 mm ² 76A / 690V / Grey	10
FTG-KS741N	2 x 25 mm ² - 14 x 4 mm ² 76A / 690V / Blue	10
FTG-KS741PE	2 x 25 mm ² - 14 x 4 mm ² 76A / 690V / Green	10
FTG-KS741NPE	1 x 16 mm ² - 7 x 4 mm ² 76A / 690V / Blue Green	10
FTG-KS741NN	1 x 16 mm ² - 7 x 4 mm ² 76A / 690V / Blue	10
FTG-KS741RN	1 x 16 mm ² - 7 x 4 mm ² 76A / 690V / Red Blue	10

MONOBLOCK DISTRIBUTION UNITS



CODE	DESCRIPTIONS	INPUT OUTPUT	CABLE SECTION	CURRENT	PCS/BOX
FTG-KVIAC11150G	2 x Al/Cu, 25 x 150 mm ² Grey	1/1	25 - 150 mm ²	315/250	20
FTG-KVIAC11150B	2 x Al/Cu, 25 x 150 mm ² Blue	1/1	25 - 150 mm ²	315/250	10
FTG-KVIAC11150YG	2 x Al/Cu, 25 x 150 mm ² Yellow / Green	1/1	25 - 150 mm ²	315/250	10
FTG-KVIAC11240G	2 x Al/Cu, 35 x 240 mm ² Grey	1/1	35 - 240 mm ²	400/315	10
FTG-KVIAC11240B	2 x Al/Cu, 35 x 240 mm ² Yellow / Blue	1/1	35 - 240 mm ²	400/315	3
FTG-KVIAC11240YG	2 x Al/Cu, 35 x 240 mm ² Yellow / Green	1/1	35 - 240 mm ²	400/315	3
FTG-KVIAC12150G	2 x 315 A 2 Input, 2 Output, 2 x 25-150 mm ²	2/2	25 - 150 mm ²	315/315	1
FTG-KVIAC12240G	2 x 400 A, 2 Input, 2 Output, 2 x 35 - 240 mm ²	2/2	35 - 240 mm ²	400/400	1

3 INPUT 3 OUTPUT DISTRIBUTION UNIT



CODE	DESCRIPTIONS	INPUT OUTPUT	CABLE SECTION	CURRENT	PCS/BOX
FTG-KVIAC31050G	6 x Al/Cu, 1.5 - 50 mm ² Grey	3 x 1/3 x 1	2.5 - 50 mm ²	3 x 160 / 125	20


2 INPUT 2 OUTPUT DISTRIBUTION UNIT



KVIAC12150B

CODE	DESCRIPTIONS	INPUT OUTPUT	CABLE SECTION	CURRENT	PCS/BOX
FTG-KVIAC12050G	4 x Al/Cu, 2.5 - 50 mm ² Grey	2 / 2	2.5 - 50 mm ²	2 x 160 / 125	15
FTG-KVIAC12050B	4 x Al/Cu, 2.5 - 50 mm ² Blue	2 / 2	2.5 - 50 mm ²	2 x 160 / 125	15
FTG-KVIAC12050YG	4 x Al/Cu, 2.5 - 50 mm ² Yellow / Green	2 / 2	2.5 - 50 mm ²	2 x 160 / 125	15
FTG-KVIAC12095G	4 x Al/Cu, 6 - 95 mm ² Grey	2 / 2	6 - 95 mm ²	2 x 250 / 200	30
FTG-KVIAC12095B	4 x Al/Cu, 6 - 95 mm ² Blue	2 / 2	6 - 95 mm ²	2 x 250 / 200	15
FTG-KVIAC12095YG	4 x Al/Cu, 6 - 95 mm ² Yellow / Green	2 / 2	6 - 95 mm ²	2 x 250 / 200	15


MONOBLOCK DISTRIBUTION UNITS



KVIAC12050YG




KVIAC51016G



KVIAC32035G

CODE	DESCRIPTIONS	INPUT OUTPUT	CABLE SECTION	CURRENT	PCS/BOX
FTG-KVIAC12150G	4 x Al/Cu, 25 - 150 mm ² Grey	1/1	25 - 150 mm ²	2 x 315 / 250	10
FTG-KVIAC12150B	4 x Al/Cu, 25 - 150 mm ² Blue	2 / 2	25 - 150 mm ²	2 x 315 / 250	5
FTG-KVIAC12150YG	4 x Al/Cu, 25 - 150 mm ² Yellow / Green	2 / 2	25 - 150 mm ²	2 x 315 / 250	5
FTG-KVIAC12240G	4 x Al/Cu, 35 - 240 mm ² Grey	2 / 2	35 - 240 mm ²	2 x 400 / 315	6
FTG-KVIAC12240B	4 x Al/Cu, 35 - 240 mm ² Blue	2 / 2	35 - 240 mm ²	2 x 400 / 315	3
FTG-KVIAC12240YG	4 x Al/Cu, 35 - 240 mm ² Yellow / Green	2 / 2	35 - 240 mm ²	2 x 400 / 315	3
FTG-KVIAC12035G	4 x Al/Cu, 2.5 x 35 mm ² Grey	2 / 2	6 - 35 mm ²	2 x 125 / 100	30
FTG-KVIAC12035B	4 x Al/Cu, 2.5 x 35 mm ² Blue	2 / 2	6 - 35 mm ²	2 x 125 / 100	15
FTG-KVIAC12035YG	4 x Al/Cu, 2.5 x 35 mm ² Yellow / Green	2 / 2	6 - 35 mm ²	2 x 125 / 100	15
FTG-KVIAC14016G	4 x Al/Cu, 2.5 x 16 mm ² Grey	4 x Flexibel	2.5 - 16 mm ²	200 / 160	30
FTG-KVIAC14016B	2 x Al/Cu, 2.5 x 16 mm ² Blue	4 x Flexibel	2.5 - 16 mm ²	200 / 160	15
FTG-KVIAC14016YG	2 x Al/Cu, 2.5 x 16 mm ² Yellow / Green	4 x Flexibel	2.5 - 16 mm ²	200 / 160	15
FTG-KVIAC51016G	10 x Al/Cu, 2.5 x 16 mm ² Grey	5 x 1 / 5 x 1	2.5 - 16 mm ²	5 x 80 / 63	10
FTG-KVIAC51016B	4 x Al/Cu, 2.5 x 16 mm ² Blue	2x2Flexibel	2.5 - 16 mm ²	2 x 100 / 80	30
FTG-KVIAC51016YG	12 x Al/Cu, 2.5 x 35 mm ² Green	3 x 1 / 3 x 2	2.5 - 35 mm ²	3x2x160/125	30
FTG-KVIAC32035G	12 x Al/Cu, 2.5 x 35 mm ² Grey	3 x 2 / 3 x 2	2.5 - 35 mm ²	125 Amper	1

NEUTRAL & EARTH DISTRIBUTION BLOCKS (FULL INSULATED)



CODE	DESCRIPTIONS	CABLE SECTION	PCS/BOX
FTG-870 N/7FS	7 x 16 mm ² Full Insulated / Blue	16 mm ²	10
FTG-870 S/7FS	7 x 16 mm ² Full Insulated / Yellow-Green	16 mm ²	10
FTG-870 N/15S	15 x 16 mm ² Full Insulated / Blue	16 mm ²	10
FTG-870 S/15S	15 x 16 mm ² Full Insulated / Yellow-Green	16 mm ²	10